

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Silfab Solar Inc.	Manufacturer:	Silfab Solar Inc.
Address:	240 Courtneypark Drive East Mississauga, Ontario L5T 2Y3	Address:	240 Courtneypark Drive East Mississauga, Ontario L5T 2Y3
Country:	Canada	Country:	Canada
Contact:	Itai Suez Treff MacDonald	Contact:	Itai Suez Treff MacDonald
Phone:	(905) 255-2501 ext 717 (905) 255-2501 ext 727	Phone:	(905) 255-2501 ext 724
FAX:	(905) 696-0267	FAX:	(905) 696-0267
Email:	i.suez@silfabsolar.com t.macdonald@silfabsolar.com	Email:	i.suez@silfabsolar.com t.macdonald@silfabsolar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest, CA

Control Number: 4007764

Authorized by: _____

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
Product:	Photovoltaic Module

Brand Name: Silfab Solar

SIL-290NL, SIL-295NL, SIL-300NL, SIL-305NL, SIL-310NL, SIL-315NL, SIL-320NL, SIL-325NL, SIL-330NL, SIL-335NL, SIL-340NL, SIL-345NL, SIL-350NL.

SIL-290NL-W, SIL-295NL-W, SIL-300NL-W, SIL-305NL-W, SIL-310NL-W, SIL-315NL-W, SIL-320NL-W, SIL-325NL-W, SIL-330NL-W, SIL-335NL-W, SIL-340NL-W, SIL-345NL-W, SIL-350NL-W.

SIL-300HL, SIL-305HL, SIL-310HL, SIL-315HL, SIL-320HL, SIL-325HL, SIL-330HL, SIL-335HL, SIL-340HL, SIL-345HL, SIL-350HL, SIL-355HL, SIL-360HL.

SIL-300HL-W, SIL-305HL-W, SIL-310HL-W, SIL-315HL-W, SIL-320HL-W, SIL-325HL-W, SIL-330HL-W, SIL-335HL-W, SIL-340HL-W, SIL-345HL-W, SIL-350HL-W, SIL-355HL-W, SIL-360HL-W.

SIL-290BL, SIL-295BL, SIL-300BL, SIL-305BL, SIL-310BL, SIL-315BL, SIL-320BL, SIL-325BL, SIL-330BL, SIL-335BL, SIL-340BL, SIL-345BL, SIL-350BL.

Models:

SIL-360NU, SIL-365NU, SIL-370NU, SIL-375NU, SIL-380NU, SIL-385NU, SIL-390NU, SIL-395NU, SIL-400NU, SIL-405NU, SIL-410NU, SIL-415NU, SIL-420NU, SIL-425NU, SIL-430NU, SIL-435NU, SIL-440NU.

SIL-370HU, SIL-375HU, SIL-380HU, SIL-385HU, SIL-390HU, SIL-395HU, SIL-400HU, SIL-405HU, SIL-410HU, SIL-415HU, SIL-420HU, SIL-425HU, SIL-430HU, SIL-435HU, SIL-440HU, SIL-445HU, SIL-450HU.

SIL-360NT, SIL-365NT, SIL-370NT, SIL-375NT, SIL-380NT, SIL-385NT, SIL-390NT, SIL-395NT, SIL-400NT, SIL-405NT, SIL-410NT, SIL-415NT, SIL-420NT, SIL-425NT, SIL-430NT, SIL-435NT, SIL-440NT.

SIL-360BK, SIL-365BK, SIL-370BK.

SIL-350NX, SIL-355NX, SIL-360NX, SIL-365NX, SIL-370NX, SIL-375NX, SIL-380NX.

SIL-360HC, SIL-365HC, SIL-370HC, SIL-375HC, SIL-380HC, SIL-385HC, SIL-390HC, SIL-395HC, SIL-400HC.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Silfab Solar Inc.	Manufacturer:	Silfab Solar WA Inc.
Address:	240 Courtneypark Drive East Mississauga, Ontario L5T 2Y3	Address:	800 Cornwall Avenue, Bellingham, Washington 98225
Country:	Canada	Country:	USA
Contact:	Itai Suez Treff MacDonald	Contact:	Nicholas Van Dyken Carlos Serna
Phone:	(905) 255-2501 ext 717 (905) 255-2501 ext 727	Phone:	1-360-569-4733
FAX:	(905) 696-0267	FAX:	NA
Email:	i.suez@silfabsolar.com t.macdonald@silfabsolar.com	Email:	c.serna@silfabsolar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest, CA

Control Number: 4007764

Authorized by: _____

Claudia Ladynski

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
Product:	Photovoltaic Module

Brand Name: Silfab Solar

SIL-290NL, SIL-295NL, SIL-300NL, SIL-305NL, SIL-310NL, SIL-315NL, SIL-320NL, SIL-325NL, SIL-330NL, SIL-335NL, SIL-340NL, SIL-345NL, SIL-350NL.

SIL-290NL-W, SIL-295NL-W, SIL-300NL-W, SIL-305NL-W, SIL-310NL-W, SIL-315NL-W, SIL-320NL-W, SIL-325NL-W, SIL-330NL-W, SIL-335NL-W, SIL-340NL-W, SIL-345NL-W, SIL-350NL-W.

SIL-300HL, SIL-305HL, SIL-310HL, SIL-315HL, SIL-320HL, SIL-325HL, SIL-330HL, SIL-335HL, SIL-340HL, SIL-345HL, SIL-350HL, SIL-355HL, SIL-360HL.

SIL-300HL-W, SIL-305HL-W, SIL-310HL-W, SIL-315HL-W, SIL-320HL-W, SIL-325HL-W, SIL-330HL-W, SIL-335HL-W, SIL-340HL-W, SIL-345HL-W, SIL-350HL-W, SIL-355HL-W, SIL-360HL-W.

SIL-290BL, SIL-295BL, SIL-300BL, SIL-305BL, SIL-310BL, SIL-315BL, SIL-320BL, SIL-325BL, SIL-330BL, SIL-335BL, SIL-340BL, SIL-345BL, SIL-350BL.

Models:

SIL-360NU, SIL-365NU, SIL-370NU, SIL-375NU, SIL-380NU, SIL-385NU, SIL-390NU, SIL-395NU, SIL-400NU, SIL-405NU, SIL-410NU, SIL-415NU, SIL-420NU, SIL-425NU, SIL-430NU, SIL-435NU, SIL-440NU.

SIL-370HU, SIL-375HU, SIL-380HU, SIL-385HU, SIL-390HU, SIL-395HU, SIL-400HU, SIL-405HU, SIL-410HU, SIL-415HU, SIL-420HU, SIL-425HU, SIL-430HU, SIL-435HU, SIL-440HU, SIL-445HU, SIL-450HU.

SIL-360NT, SIL-365NT, SIL-370NT, SIL-375NT, SIL-380NT, SIL-385NT, SIL-390NT, SIL-395NT, SIL-400NT, SIL-405NT, SIL-410NT, SIL-415NT, SIL-420NT, SIL-425NT, SIL-430NT, SIL-435NT, SIL-440NT.

SIL-360BK, SIL-365BK, SIL-370BK.

SIL-350NX, SIL-355NX, SIL-360NX, SIL-365NX, SIL-370NX, SIL-375NX, SIL-380NX.

SIL-360HC, SIL-365HC, SIL-370HC, SIL-375HC, SIL-380HC, SIL-385HC, SIL-390HC, SIL-395HC, SIL-400HC.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.


This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Silfab Solar Inc.
Address: 240 Courtneypark Drive East
 Mississauga, Ontario L5T 2Y3
Country: Canada
Contact: Itai Suez
 Treff MacDonald
Phone: (905) 255-2501 ext 717
 (905) 255-2501 ext 727
FAX: (905) 696-0267
Email: i.suez@silfabsolar.com
 t.macdonald@silfabsolar.com

Manufacturer: SOLVIS d.o.o.
Address: Cehovska 106
 Varazdin, 42 000
Country: Croatia
Contact: Ivan Vadla
 Itai Suez
Phone: (647) 205-5792
FAX: NA
Email: ivan.vadla@solvis.hr
 i.suez@silfabsolar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest, CA

Control Number: 5017779

Authorized by: 
 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2017 Ed.1]
	Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]
	Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]
Product:	Photovoltaic Module

Brand Name: Silfab Solar

SIL-290NL, SIL-295NL, SIL-300NL, SIL-305NL, SIL-310NL, SIL-315NL, SIL-320NL, SIL-325NL, SIL-330NL, SIL-335NL, SIL-340NL, SIL-345NL, SIL-350NL.

SIL-290NL-W, SIL-295NL-W, SIL-300NL-W, SIL-305NL-W, SIL-310NL-W, SIL-315NL-W, SIL-320NL-W, SIL-325NL-W, SIL-330NL-W, SIL-335NL-W, SIL-340NL-W, SIL-345NL-W, SIL-350NL-W.

SIL-300HL, SIL-305HL, SIL-310HL, SIL-315HL, SIL-320HL, SIL-325HL, SIL-330HL, SIL-335HL, SIL-340HL, SIL-345HL, SIL-350HL, SIL-355HL, SIL-360HL.

SIL-300HL-W, SIL-305HL-W, SIL-310HL-W, SIL-315HL-W, SIL-320HL-W, SIL-325HL-W, SIL-330HL-W, SIL-335HL-W, SIL-340HL-W, SIL-345HL-W, SIL-350HL-W, SIL-355HL-W, SIL-360HL-W.

SIL-290BL, SIL-295BL, SIL-300BL, SIL-305BL, SIL-310BL, SIL-315BL, SIL-320BL, SIL-325BL, SIL-330BL, SIL-335BL, SIL-340BL, SIL-345BL, SIL-350BL.

Models:

SIL-360NU, SIL-365NU, SIL-370NU, SIL-375NU, SIL-380NU, SIL-385NU, SIL-390NU, SIL-395NU, SIL-400NU, SIL-405NU, SIL-410NU, SIL-415NU, SIL-420NU, SIL-425NU, SIL-430NU, SIL-435NU, SIL-440NU.

SIL-370HU, SIL-375HU, SIL-380HU, SIL-385HU, SIL-390HU, SIL-395HU, SIL-400HU, SIL-405HU, SIL-410HU, SIL-415HU, SIL-420HU, SIL-425HU, SIL-430HU, SIL-435HU, SIL-440HU, SIL-445HU, SIL-450HU.

SIL-360NT, SIL-365NT, SIL-370NT, SIL-375NT, SIL-380NT, SIL-385NT, SIL-390NT, SIL-395NT, SIL-400NT, SIL-405NT, SIL-410NT, SIL-415NT, SIL-420NT, SIL-425NT, SIL-430NT, SIL-435NT, SIL-440NT.

SIL-360BK, SIL-365BK, SIL-370BK.

SIL-350NX, SIL-355NX, SIL-360NX, SIL-365NX, SIL-370NX, SIL-375NX, SIL-380NX.

SIL-360HC, SIL-365HC, SIL-370HC, SIL-375HC, SIL-380HC, SIL-385HC, SIL-390HC, SIL-395HC, SIL-400HC.